





UPPER (INLET) MANIFOLD LAYOUT



LOWER (OUTLET) MANIFOLD LAYOUT



NOTES:
1. FLOW RATE DESIGN: 2,125-3,125 GPM.

SM 4816-10A

THIS DRAWING, INCLUDING THE DIMENSIONS TO CENTERLINE, IS THE PROPERTY OF YARNEY INDUSTRIES, INC. IT IS LOANED TO YOU BY YARNEY INDUSTRIES, INC. IT IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT THE WRITTEN PERMISSION OF YARNEY INDUSTRIES, INC.		APPROVALS (DATE)	
1	DESIGN	DATE	BY
2	DRAWING	DATE	BY
3	CHECK	DATE	BY
4	SCALE	DATE	BY
5	REVISION	DATE	BY
YARNEY INDUSTRIES, INC. 9000481610 1" = 12"		DID NOT SCALE DWG. YARNEY INDUSTRIES, INC. 9000481610 1" = 12"	