





UPPER (INLET) MANIFOLD LAYOUT



NOTES:
 1. FLOW RATE DESIGN: 2,338-3,438 GPM.

SM 4816-11A

LOWER (OUTLET) MANIFOLD LAYOUT



THIS DRAWING, INCLUDING THE INFORMATION IT CONTAINS, IS CONFIDENTIAL AND IS THE PROPERTY OF YARDNEY WATER MANAGEMENT. IT IS TO BE USED ONLY FOR THE PROJECT AND SITE SPECIFICALLY IDENTIFIED HEREIN AND IS NOT TO BE REPRODUCED, COPIED, OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT THE WRITTEN PERMISSION OF YARDNEY WATER MANAGEMENT. THE DRAWING IS NOT TO BE USED FOR ANY OTHER PROJECT OR SITE WITHOUT THE WRITTEN PERMISSION OF YARDNEY WATER MANAGEMENT.

DO NOT SCALE DWG.

Yardney
 WATER MANAGEMENT SYSTEMS

PROJECT: FILTER SM 4816-11
 DRAWING NO: H-PATTERN LAYOUT
 DATE: 9/20/2011
 DRAWN BY: [Name]
 CHECKED BY: [Name]
 DESIGNED BY: [Name]
 DATE: [Date]
 SCALE: [Scale]

NO.	DATE	BY	REVISIONS
1	09/20/11	[Name]	ISSUE FOR PERMIT
2	09/20/11	[Name]	REVISED PER COMMENTS
3	09/20/11	[Name]	REVISED PER COMMENTS
4	09/20/11	[Name]	REVISED PER COMMENTS
5	09/20/11	[Name]	REVISED PER COMMENTS